



Korean
version



Japan-HQ
Korea
Americas
ASEAN
China
Europe
India
Mexico
Taiwan
Thailand
Turkey

CC-Link IE
CC-Link CC-Link/LT
CC-Link Safety

CC-Link Partner Product

CC-Link 접속 신제품 소개

2021년 7월

CC-Link

CC-Link IE

Yamaha Corporation

심플 L2 스위치 SWX2110-5G

LAN의 가시화를 말단까지, 보다 콤팩트하게 진화한 심플 스위치

- 금속 케이스로, 콤팩트한 사이즈
- 벽걸이나 마그넷을 이용한 설치 방법에 대응
- VLAN이나 QoS, IGMP 스누핑, 포트 미러링 등 스위치 기능을 옵션 탑재
- 「LAN 맵」에 의한 가시화에 대응



특징

- LAN의 가시화에 대응하고, 보수·운용의 업무 부담을 경감
- 소형화에 의한 설치성 향상
- VLAN이나 QoS 등의 스위치 기능을 옵션 탑재

사양

항목	내용
국종	
점유국수	
CC-Link버전	
외형치수	125 (W) × 27 (H) × 101 (D) mm (돌기부 제외)
중량	0.33 kg(부속품 미포함)

판매처

제조사	Yamaha Corporation	https://network.yamaha.com/

Yamaha Corporation

심플 L2 스위치 SWX2110-8G

LAN의 가시화를 말단까지, 보다 콤팩트하게 진화한 심플 스위치

- 금속 케이스로, 콤팩트한 사이즈
- 벽걸이나 마그넷을 이용한 설치 방법에 대응
- VLAN이나 QoS, IGMP 스누핑, 포트 미러링 등 스위치 기능을 엄선 탑재
- 「LAN 맵」에 의한 가시화에 대응



특징

- LAN의 가시화에 대응하고, 보수·운용의 업무 부담을 경감
- 소형화에 의한 설치성 향상
- VLAN이나 QoS 등의 스위치 기능을 엄선 탑재

사양

항목	내용
국종	
점유국수	
CC-Link버전	
외형치수	180 (W) × 27 (H) × 101 (D) mm (돌기부 제외)
중량	0.45 kg(부속품 미포함)

판매처

제조사	Yamaha Corporation	https://network.yamaha.com/

Yamaha Corporation

심플 L2 스위치 SWX2110-16G

LAN의 가시화를 말단까지, 보다 콤팩트하게 진화한 심플 스위치

- 금속 케이스로, 콤팩트한 사이즈
- 벽걸이나 마그넷을 이용한 설치 방법에 대응
- VLAN이나 QoS, IGMP 스누핑, 포트 미러링 등 스위치 기능을 옵션 탑재
- 「LAN 맵」에 의한 가시화에 대응



특징

- LAN의 가시화에 대응하고, 보수·운용의 업무 부담을 경감
- 소형화에 의한 설치성 향상
- VLAN이나 QoS 등의 스위치 기능을 옵션 탑재

사양

항목	내용
국종	
점유국수	
CC-Link버전	
외형치수	220 (W) × 40.5 (H) × 160 (D) mm (돌기부 제외)
중량	1.3 kg(부속품 미포함)

판매처

제조사	Yamaha Corporation	https://network.yamaha.com/

Yamaha Corporation

심플 L2 PoE 스위치 SWX2110P-8G

LAN의 가시화를 말단까지, 보다 사용하기 쉬워진 PoE 스위치

- 8포트 중 4포트로, PoE + 전력공급 대응
- 팬 없이 50°C 대응을 실현
- 벽걸이(옵션)나 마그넷을 이용한 설치 방법에 대응
- 「LAN 맵」에 의한 가시화에 대응



특징

- LAN의 가시화에 대응하고, 보수·운용의 업무 부담을 경감
- 소형화에 의한 설치성 향상
- VLAN이나 QoS, IGMP 스누핑, 포트 미러링 등 스위치 기능 옵션 탑재

사양

항목	내용
국종	
점유국수	
CC-Link버전	
외형치수	220 (W) × 40.5 (H) × 250 (D) mm (돌기부 제외)
중량	1.6 kg(부속품 미포함)

판매처

제조사	Yamaha Corporation	https://network.yamaha.com/

Nanjing DECOWELL Automation CO. Ltd.

FS series integrated bus I/O module

The FS integrated I/O module was one of the early offerings from Deckwell. The communication interface, power supply module and I/O module are designed as highly integrated single modules. Can support various communication bus, for example, PROFINET, EtherCAT, DeviceNet, CC - Link and so on. There are a variety of signal types and output points to choose from, a single module can support up to 32 signal points.



특징

- Small size, compact structure, simple wiring, stable and reliable performance.

사양

항목	내용
국종	리모트I/O국
점유국수	1
CC-Link버전	1.0
외형치수	88.8(L)×100(W)×45.4(H)[mm]
중량	200g

판매처

제조사	Nanjing DECOWELL Automation	http://wellinkio.com/

Nanjing DECOWELL Automation CO. Ltd.

FS series integrated bus I/O module

The FS integrated I/O module was one of the early offerings from Deckwell. The communication interface, power supply module and I/O module are designed as highly integrated single modules. Can support various communication bus, for example, PROFINET, EtherCAT, DeviceNet, CC - Link and so on. There are a variety of signal types and output points to choose from, a single module can support up to 32 signal points.



특징

- Small size, compact structure, simple wiring, stable and reliable performance.

사양

항목	내용
국종	슬레이브국
점유국수	1
CC-Link버전	2
외형치수	88.8(L)×100(W)×45.4(H)[mm]
중량	200g

판매처

제조사	Nanjing DECOWELL Automation	http://wellinkio.com/

Nanjing DECOWELL Automation CO. Ltd.

FS1 series fast connection I/O module

The signal interface of the quick connection terminal module adopts E-CON connector, and the interior of the connector adopts puncture structure design, no need to strip wires, and the wiring is convenient and fast. Can support various communication bus, for example, PROFINET, EtherCAT, DeviceNet, CC - Link and so on. There are a variety of signal types and input and output points to choose from, and a single module can support up to 32 signal points.



특징

- The module is compact in size, easy to connect and high protection level (IP50), which can meet the requirements of some on-site installation.

사양

항목	내용
국종	슬레이브국
점유국수	1
CC-Link버전	2
외형치수	116(L)×52(W)×30(H)[mm] 174(L)×52(W)×30(H)[mm]
중량	200 g /150g

판매처

제조사	Nanjing DECOWELL Automation	http://wellinkio.com/